

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier:** E702004 - Edge Wave 2.0  
Mango - Orange

**Other means of identification:**

Non-applicable

**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

Relevant uses: Air freshener. For professional users only.

Uses advised against: All uses not specified in this section or in section 7.3

**1.3 Details of the supplier of the safety data sheet:**

Piazza BV  
Vlimmersebaan 136 Unit 6  
2275 Wechelderzande - Belgium  
Phone: +32 3 366 25 45  
sales@piazza.be  
www.piazza.be

**1.4 Emergency telephone number:** +32 3 366 25 45 mo-fr 9h-15h30

**SECTION 2: HAZARDS IDENTIFICATION \*\***

**2.1 Classification of the substance or mixture:**

**CLP Regulation (EC) No 1272/2008:**

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411

Skin Irrit. 2: Skin irritation, Category 2, H315

Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

**2.2 Label elements:**

**CLP Regulation (EC) No 1272/2008:**

**Warning**



**Hazard statements:**

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

**Precautionary statements:**

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P391: Collect spillage.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

**Supplementary information:**

Contains Cinnamal, Coumarin, d-limonene.

**Substances that contribute to the classification**

Ethyl 2,3-epoxy-3-phenylbutyrate; Linalool; Linalyl acetate ; 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one

**2.3 Other hazards:**

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0**  
**Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**
**3.1 Substance:**

Non-applicable

**3.2 Mixture:**
**Chemical description:** Mixture of substances

**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 5989-27-5 EC: 227-813-5 Index: 601-096-00-2 REACH: 01-2119529223-47-XXXX	<b>d-limonene<sup>(1)</sup></b> Self-classified	5 - <7,51 %
	Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	
CAS: 10094-34-5 EC: 233-221-8 Index: Non-applicable REACH: 01-2120742578-44-XXXX	<b>a,a-dimethylphenethyl butyrate<sup>(1)</sup></b> Self-classified	3,75 - <5,01 %
	Regulation 1272/2008 Aquatic Chronic 2: H411	
CAS: 120-51-4 EC: 204-402-9 Index: 607-085-00-9 REACH: 01-2119976371-33-XXXX	<b>Benzyl benzoate<sup>(1)</sup></b> Self-classified	1,25 - <2,51 %
	Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Warning	
CAS: 77-83-8 EC: 201-061-8 Index: Non-applicable REACH: 01-2119967770-28-XXXX	<b>Ethyl 2,3-epoxy-3-phenylbutyrate<sup>(1)</sup></b> Self-classified	1,25 - <2,51 %
	Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	
CAS: 17511-60-3 EC: 241-514-7 Index: Non-applicable REACH: Non-applicable	<b>3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-inden-6-yl propionate<sup>(1)</sup></b> Self-classified	1,25 - <2,51 %
	Regulation 1272/2008 Aquatic Chronic 2: H411; Eye Irrit. 2: H319 - Warning	
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX	<b>Linalool<sup>(1)</sup></b> Self-classified	0,25 - <1,26 %
	Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 115-95-7 EC: 204-116-4 Index: Non-applicable REACH: 01-2119454789-19-XXXX	<b>Linalyl acetate<sup>(1)</sup></b> Self-classified	0,25 - <1,26 %
	Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 104-67-6 EC: 203-225-4 Index: Non-applicable REACH: 01-2119959333-34-XXXX	<b>Undecan-4-olide<sup>(1)</sup></b> Self-classified	0,25 - <1,26 %
	Regulation 1272/2008 Aquatic Chronic 3: H412	
CAS: 706-14-9 EC: 211-892-8 Index: Non-applicable REACH: 01-2119959334-32-XXXX	<b>Decan-4-olide<sup>(2)</sup></b> Not classified	0,25 - <1,26 %
	Regulation 1272/2008	
CAS: 127-51-5 EC: 204-846-3 Index: Non-applicable REACH: 01-2120138569-45-XXXX	<b>3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one<sup>(1)</sup></b> Self-classified	0,25 - <1,26 %
	Regulation 1272/2008 Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 106-27-4 EC: 203-380-8 Index: Non-applicable REACH: 01-2120762245-55-XXXX	<b>3-methylbutyl butyrate<sup>(1)</sup></b> Self-classified	0,25 - <1,26 %
	Regulation 1272/2008 Aquatic Chronic 3: H412; Flam. Liq. 3: H226 - Warning	
CAS: 104-55-2 EC: 203-213-9 Index: Non-applicable REACH: 01-2119935242-45-XXXX	<b>Cinnamal<sup>(1)</sup></b> Self-classified	0,02 - <0,26 %
	Regulation 1272/2008 Acute Tox. 4: H312; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

<sup>(2)</sup> Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**



Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)**

Identification	Chemical name/Classification	Concentration
CAS: 91-64-5 EC: 202-086-7 Index: Non-applicable REACH: 01-2119949300-45-XXXX	<b>Coumarin<sup>(2)</sup></b> Self-classified	<b>0,02 - &lt;0,26 %</b>
	Regulation 1272/2008 Acute Tox. 3: H301; Aquatic Chronic 3: H412; Skin Sens. 1: H317 - Danger 	
CAS: 106-22-9 EC: 203-375-0 Index: Non-applicable REACH: 01-2119453995-23-XXXX	<b>Citronellol<sup>(2)</sup></b> Self-classified	<b>&lt;0,03 %</b>
	Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning 	

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

<sup>(2)</sup> Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

**By skin contact:**

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

**By eye contact:**

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media:**

**Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

**Unsuitable extinguishing media:**

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 5: FIREFIGHTING MEASURES (continued)**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

**For emergency responders:**

See section 8.

**6.2 Environmental precautions:**

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

**6.4 Reference to other sections:**

See sections 8 and 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling:**

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal See sections 8 and 13.

**7.2 Conditions for safe storage, including any incompatibilities:**

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m<sup>3</sup> // Respirable dust 4 mg/m<sup>3</sup>

**DNEL (Workers):**

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
d-limonene CAS: 5989-27-5 EC: 227-813-5	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	9,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	66,7 mg/m <sup>3</sup>	Non-applicable
a,a-dimethylphenethyl butyrate CAS: 10094-34-5 EC: 233-221-8	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	3,6 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	12,695 mg/m <sup>3</sup>	Non-applicable
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	2,6 mg/kg	Non-applicable
	Inhalation	102 mg/m <sup>3</sup>	Non-applicable	5,1 mg/m <sup>3</sup>	Non-applicable
Ethyl 2,3-epoxy-3-phenylbutyrate CAS: 77-83-8 EC: 201-061-8	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,7 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	2,45 mg/m <sup>3</sup>	Non-applicable
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	3,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	24,58 mg/m <sup>3</sup>	Non-applicable
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	2,75 mg/m <sup>3</sup>	Non-applicable
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,375 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	8,22 mg/m <sup>3</sup>	Non-applicable
Cinnamal CAS: 104-55-2 EC: 203-213-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,75 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	6,11 mg/m <sup>3</sup>	Non-applicable
Coumarin CAS: 91-64-5 EC: 202-086-7	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,79 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	6,78 mg/m <sup>3</sup>	Non-applicable
Citronellol CAS: 106-22-9 EC: 203-375-0	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	327,4 mg/kg	Non-applicable
	Inhalation	Non-applicable	10 mg/m <sup>3</sup>	161,6 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>

**DNEL (General population):**

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
d-limonene CAS: 5989-27-5 EC: 227-813-5	Oral	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	16,6 mg/m <sup>3</sup>	Non-applicable
a,a-dimethylphenethyl butyrate CAS: 10094-34-5 EC: 233-221-8	Oral	Non-applicable	Non-applicable	1,8 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,8 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	3,13 mg/m <sup>3</sup>	Non-applicable
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Oral	78 mg/kg	Non-applicable	0,4 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
	Inhalation	25 mg/m <sup>3</sup>	Non-applicable	1,25 mg/m <sup>3</sup>	Non-applicable
Ethyl 2,3-epoxy-3-phenylbutyrate CAS: 77-83-8 EC: 201-061-8	Oral	Non-applicable	Non-applicable	0,35 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,35 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,61 mg/m <sup>3</sup>	Non-applicable

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Non-applicable	Non-applicable	2,49 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	4,33 mg/m <sup>3</sup>	Non-applicable
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Oral	Non-applicable	Non-applicable	0,2 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,68 mg/m <sup>3</sup>	Non-applicable
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	Oral	Non-applicable	Non-applicable	0,0355 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,0446 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,45 mg/m <sup>3</sup>	Non-applicable
Cinnamal CAS: 104-55-2 EC: 203-213-9	Oral	Non-applicable	Non-applicable	0,625 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,625 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,09 mg/m <sup>3</sup>	Non-applicable
Coumarin CAS: 91-64-5 EC: 202-086-7	Oral	Non-applicable	Non-applicable	0,39 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,39 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,69 mg/m <sup>3</sup>	Non-applicable
Citronellol CAS: 106-22-9 EC: 203-375-0	Oral	Non-applicable	Non-applicable	13,8 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	196,4 mg/kg	Non-applicable
	Inhalation	Non-applicable	10 mg/m <sup>3</sup>	47,8 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>

**PNEC:**

Identification				
d-limonene CAS: 5989-27-5 EC: 227-813-5	STP	1,8 mg/L	Fresh water	0,014 mg/L
	Soil	0,763 mg/kg	Marine water	0,0014 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	3,85 mg/kg
	Oral	0,133 g/kg	Sediment (Marine water)	0,385 mg/kg
a,a-dimethylphenethyl butyrate CAS: 10094-34-5 EC: 233-221-8	STP	31,25 mg/L	Fresh water	0,004766 mg/L
	Soil	0,103 mg/kg	Marine water	Non-applicable
	Intermittent	Non-applicable	Sediment (Fresh water)	0,189 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	STP	100 mg/L	Fresh water	0,017 mg/L
	Soil	2,12 mg/kg	Marine water	0,002 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	10,66 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1,07 mg/kg
Ethyl 2,3-epoxy-3-phenylbutyrate CAS: 77-83-8 EC: 201-061-8	STP	10 mg/L	Fresh water	0,008 mg/L
	Soil	0,038 mg/kg	Marine water	0,0084 mg/L
	Intermittent	0,084 mg/L	Sediment (Fresh water)	0,214 mg/kg
	Oral	0,0233 g/kg	Sediment (Marine water)	0,021 mg/kg
Linalool CAS: 78-70-6 EC: 201-134-4	STP	10 mg/L	Fresh water	0,2 mg/L
	Soil	0,327 mg/kg	Marine water	0,02 mg/L
	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	STP	1 mg/L	Fresh water	0,011 mg/L
	Soil	0,115 mg/kg	Marine water	0,001 mg/L
	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,061 mg/kg
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	STP	10 mg/L	Fresh water	0,00143 mg/L
	Soil	0,0878 mg/kg	Marine water	0,000143 mg/L
	Intermittent	0,0143 mg/L	Sediment (Fresh water)	0,443 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0443 mg/kg

- CONTINUED ON NEXT PAGE -



**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

Identification				
3-methylbutyl butyrate CAS: 106-27-4 EC: 203-380-8	STP	1,51 mg/L	Fresh water	0,00319 mg/L
	Soil	0,0181 mg/kg	Marine water	0,000319 mg/L
	Intermittent	0,0319 mg/L	Sediment (Fresh water)	0,1 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,01 mg/kg
Cinnamal CAS: 104-55-2 EC: 203-213-9	STP	7,1 mg/L	Fresh water	0,008 mg/L
	Soil	0,0156 mg/kg	Marine water	0,0008 mg/L
	Intermittent	0,0321 mg/L	Sediment (Fresh water)	0,101 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0101 mg/kg
Coumarin CAS: 91-64-5 EC: 202-086-7	STP	6,4 mg/L	Fresh water	0,019 mg/L
	Soil	0,018 mg/kg	Marine water	0,0019 mg/L
	Intermittent	0,0142 mg/L	Sediment (Fresh water)	0,15 mg/kg
	Oral	0,0307 g/kg	Sediment (Marine water)	0,015 mg/kg
Citronellol CAS: 106-22-9 EC: 203-375-0	STP	580 mg/L	Fresh water	0,002 mg/L
	Soil	0,004 mg/kg	Marine water	0 mg/L
	Intermittent	0,024 mg/L	Sediment (Fresh water)	0,026 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,003 mg/kg

**8.2 Exposure controls:**



A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands



Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Protective gloves against minor risks (Material: Butyl, Breakthrough time: 240 - 480 min, Thickness: 0.38 mm)			Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**



Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	10 % weight
V.O.C. density at 20 °C:	93,63 kg/m <sup>3</sup> (93,63 g/L)
Average carbon number:	9,88
Average molecular weight:	141,25 g/mol

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

Physical state at 20 °C:	Solid
Appearance:	Not available
Colour:	 Orange
Odour:	Sweet
Odour threshold:	Non-applicable *

**Volatility:**

Boiling point at atmospheric pressure:	Non-applicable *
Vapour pressure at 20 °C:	Non-applicable *
Vapour pressure at 50 °C:	Non-applicable *
Evaporation rate at 20 °C:	Non-applicable *

**Product description:**

Density at 20 °C:	936,3 kg/m <sup>3</sup>
Relative density at 20 °C:	0,936
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *

**Flammability:**

Flash Point:	Non-applicable
--------------	----------------

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	235 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
<b>Explosive (Solid):</b>	
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
<b>Particle characteristics:</b>	
Median equivalent diameter:	Non-applicable *

**9.2 Other information:****Information with regard to physical hazard classes:**

Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Corrosive to metals:	Non-applicable *
Heat of combustion:	Non-applicable *
Aerosols-total percentage (by mass) of flammable components:	Non-applicable *

**Other safety characteristics:**

Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

**10.5 Incompatible materials:**

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

**10.6 Hazardous decomposition products:**

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

**Dangerous health implications:**

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

**A- Ingestion (acute effect):**

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

**B- Inhalation (acute effect):**

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**C- Contact with the skin and the eyes (acute effect):**

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

**D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):**

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: d-limonene (3); Pigment (1); Coumarin (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**E- Sensitizing effects:**

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

**F- Specific target organ toxicity (STOT) - single exposure:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

Identification	Acute toxicity		Genus
	LD50 oral	LD50 dermal	
d-limonene CAS: 5989-27-5 EC: 227-813-5	4400 mg/kg	>5000 mg/kg	Rat
	Non-applicable		Rabbit
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	1500 mg/kg	4000 mg/kg	Rat
	Non-applicable		Rabbit
Linalool CAS: 78-70-6 EC: 201-134-4	3000 mg/kg	5610 mg/kg	Rat
	Non-applicable		Rabbit

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

Identification	Acute toxicity		Genus
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LD50 oral	14500 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	LD50 oral	>5000 mg/kg	Rat
	LD50 dermal	>5000 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Undecan-4-olide CAS: 104-67-6 EC: 203-225-4	LD50 oral	18500 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
3-methylbutyl butyrate CAS: 106-27-4 EC: 203-380-8	LD50 oral	>5000 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Coumarin CAS: 91-64-5 EC: 202-086-7	LD50 oral	500 mg/kg	Rat
	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	Non-applicable	
Cinnamal CAS: 104-55-2 EC: 203-213-9	LD50 oral	2100 mg/kg	Rat
	LD50 dermal	1100 mg/kg	Rat
	LC50 inhalation	Non-applicable	
Citronellol CAS: 106-22-9 EC: 203-375-0	LD50 oral	3450 mg/kg	Rat
	LD50 dermal	2650 mg/kg	
	LC50 inhalation	Non-applicable	

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

**Other information**

Non-applicable

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

**12.1 Toxicity:**

**Acute toxicity:**

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 12: ECOLOGICAL INFORMATION (continued)**

Identification	Concentration		Species	Genus
d-limonene CAS: 5989-27-5 EC: 227-813-5	LC50	>0.1 - 1 (96 h)		Fish
	EC50	>0.1 - 1 (48 h)		Crustacean
	EC50	>0.1 - 1 (72 h)		Algae
a,a-dimethylphenethyl butyrate CAS: 10094-34-5 EC: 233-221-8	LC50	>1 - 10 (96 h)		Fish
	EC50	>1 - 10 (48 h)		Crustacean
	EC50	>1 - 10 (72 h)		Algae
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	LC50	2,32 mg/L (96 h)	Danio rerio	Fish
	EC50	3,1 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	0,36 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Ethyl 2,3-epoxy-3-phenylbutyrate CAS: 77-83-8 EC: 201-061-8	LC50	4,2 mg/L (96 h)	Oncorhynchus mykiss	Fish
	EC50	52 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	36 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-inden-6-yl propionate CAS: 17511-60-3 EC: 241-514-7	LC50	>1 - 10 (96 h)		Fish
	EC50	>1 - 10 (48 h)		Crustacean
	EC50	>1 - 10 (72 h)		Algae
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
Undecan-4-olide CAS: 104-67-6 EC: 203-225-4	LC50	>10 - 100 (96 h)		Fish
	EC50	>10 - 100 (48 h)		Crustacean
	EC50	>10 - 100 (72 h)		Algae
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	LC50	>1 - 10 (96 h)		Fish
	EC50	>1 - 10 (48 h)		Crustacean
	EC50	>1 - 10 (72 h)		Algae
3-methylbutyl butyrate CAS: 106-27-4 EC: 203-380-8	LC50	>10 - 100 (96 h)		Fish
	EC50	>10 - 100 (48 h)		Crustacean
	EC50	>10 - 100 (72 h)		Algae
Coumarin CAS: 91-64-5 EC: 202-086-7	LC50	>10 - 100 (96 h)		Fish
	EC50	>10 - 100 (48 h)		Crustacean
	EC50	>10 - 100 (72 h)		Algae

**Chronic toxicity:**

Identification	Concentration		Species	Genus
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	NOEC	Non-applicable		
	NOEC	0,258 mg/L	Daphnia magna	Crustacean

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 12: ECOLOGICAL INFORMATION (continued)**

Identification	Concentration		Species	Genus
	NOEC			
Cinnamal CAS: 104-55-2 EC: 203-213-9	NOEC	15,159 mg/L	N/A	Fish
	NOEC	Non-applicable		

**12.2 Persistence and degradability:**

Identification	Degradability		Biodegradability	
d-limonene CAS: 5989-27-5 EC: 227-813-5	BOD5	Non-applicable	Concentration	10 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	71,4 %
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	94 %
Ethyl 2,3-epoxy-3-phenylbutyrate CAS: 77-83-8 EC: 201-061-8	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	53 %
Linalool CAS: 78-70-6 EC: 201-134-4	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	90 %
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	BOD5	Non-applicable	Concentration	81 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	80 %
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	BOD5	Non-applicable	Concentration	4 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	42,51 %
3-methylbutyl butyrate CAS: 106-27-4 EC: 203-380-8	BOD5	Non-applicable	Concentration	15.1 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	63 %
Coumarin CAS: 91-64-5 EC: 202-086-7	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	14 days
	BOD5/COD	Non-applicable	% Biodegradable	100 %

**12.3 Bioaccumulative potential:**

Identification	Bioaccumulation potential	
d-limonene CAS: 5989-27-5 EC: 227-813-5	BCF	
	Pow Log	4.83
	Potential	

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 12: ECOLOGICAL INFORMATION (continued)**

Identification	Bioaccumulation potential	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	BCF	193
	Pow Log	4
	Potential	High
Linalool CAS: 78-70-6 EC: 201-134-4	BCF	
	Pow Log	2.97
	Potential	
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	BCF	174
	Pow Log	3.9
	Potential	High
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	BCF	
	Pow Log	3.49
	Potential	
3-methylbutyl butyrate CAS: 106-27-4 EC: 203-380-8	BCF	120
	Pow Log	2.44
	Potential	High
Cinnamal CAS: 104-55-2 EC: 203-213-9	BCF	8
	Pow Log	1.9
	Potential	Low
Coumarin CAS: 91-64-5 EC: 202-086-7	BCF	10
	Pow Log	1.39
	Potential	Low

**12.4 Mobility in soil:**

Identification	Absorption/desorption		Volatility	
d-limonene CAS: 5989-27-5 EC: 227-813-5	Koc	6324	Henry	2533,13 Pa·m <sup>3</sup> /mol
	Conclusion	Immobile	Dry soil	Yes
	Surface tension	2,675E-2 N/m (25 °C)	Moist soil	Yes
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Koc	6310	Henry	Non-applicable
	Conclusion	Immobile	Dry soil	Non-applicable
	Surface tension	4,626E-2 N/m (25 °C)	Moist soil	Non-applicable
Ethyl 2,3-epoxy-3-phenylbutyrate CAS: 77-83-8 EC: 201-061-8	Koc	240	Henry	Non-applicable
	Conclusion	Moderate	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Koc	518	Henry	177 Pa·m <sup>3</sup> /mol
	Conclusion	Low	Dry soil	Yes
	Surface tension	Non-applicable	Moist soil	Yes

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 12: ECOLOGICAL INFORMATION (continued)**

Identification	Absorption/desorption		Volatility	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	Koc	3061.96	Henry	Non-applicable
	Conclusion	Low	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
3-methylbutyl butyrate CAS: 106-27-4 EC: 203-380-8	Koc	276.5	Henry	Non-applicable
	Conclusion	Moderate	Dry soil	Non-applicable
	Surface tension	2,577E-2 N/m (25 °C)	Moist soil	Non-applicable
Cinnamal CAS: 104-55-2 EC: 203-213-9	Koc	37	Henry	3,546E-1 Pa·m <sup>3</sup> /mol
	Conclusion	Very High	Dry soil	Yes
	Surface tension	Non-applicable	Moist soil	Yes
Coumarin CAS: 91-64-5 EC: 202-086-7	Koc	42	Henry	Non-applicable
	Conclusion	Very High	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable

**12.5 Results of PBT and vPvB assessment:**

Product fails to meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product fails to meet the criteria.

**12.7 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Dangerous

**Type of waste (Regulation (EU) No 1357/2014):**

HP14 Ecotoxic

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

**SECTION 14: TRANSPORT INFORMATION****Transport of dangerous goods by land:**

With regard to ADR 2021 and RID 2021:

- CONTINUED ON NEXT PAGE -



**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 14: TRANSPORT INFORMATION (continued)**



- 14.1 UN number or ID number:** UN3077
- 14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (a,a-dimethylphenethyl butyrate; d-limonene)
- 14.3 Transport hazard class(es):** 9  
Labels: 9
- 14.4 Packing group:** III
- 14.5 Environmental hazards:** Yes
- 14.6 Special precautions for user**  
Special regulations: 274, 335, 375, 601  
Tunnel restriction code: -  
Physico-Chemical properties: see section 9  
Limited quantities: 5 kg
- 14.7 Maritime transport in bulk according to IMO instruments:** Non-applicable

**Transport of dangerous goods by sea:**


With regard to IMDG 40-20:



- 14.1 UN number or ID number:** UN3077
- 14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (a,a-dimethylphenethyl butyrate; d-limonene)
- 14.3 Transport hazard class(es):** 9  
Labels: 9
- 14.4 Packing group:** III
- 14.5 Marine pollutant:** Yes
- 14.6 Special precautions for user**  
Special regulations: 335, 966, 274, 967, 969  
EmS Codes: F-A, S-F  
Physico-Chemical properties: see section 9  
Limited quantities: 5 kg  
Segregation group: Non-applicable
- 14.7 Maritime transport in bulk according to IMO instruments:** Non-applicable

**Transport of dangerous goods by air:**

With regard to IATA/ICAO 2022:



- 14.1 UN number or ID number:** UN3077
- 14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (a,a-dimethylphenethyl butyrate; d-limonene)
- 14.3 Transport hazard class(es):** 9  
Labels: 9
- 14.4 Packing group:** III
- 14.5 Environmental hazards:** Yes
- 14.6 Special precautions for user**  
Physico-Chemical properties: see section 9
- 14.7 Maritime transport in bulk according to IMO instruments:** Non-applicable

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable  
Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable  
Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 15: REGULATORY INFORMATION (continued)**

Article 95, REGULATION (EU) No 528/2012: Cinnamal (Product-type 2)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

**Seveso III:**

Section	Description	Lower-tier requirements	Upper-tier requirements
E2	ENVIRONMENTAL HAZARDS	200	500

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Contains more than 0.01 % of Pigment by weight. This product may not be employed to colour articles with a cadmium content (expressed in Cd metal) is more than 0.01% by weight of the plasticised material.

Shall not be used or placed on the market in paints with codes [3208] [3209] in a concentration (expressed as Cd metal) equal to or greater than 0,01 % by weight. | For paints with codes [3208] [3209] with a zinc content exceeding 10 % by weight of the paint, the concentration of cadmium (expressed as Cd metal) shall not be equal to or greater than 0,1 % by weight. | Painted articles shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,1 % by weight of the paint on the painted article.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

**SECTION 16: OTHER INFORMATION****Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- Precautionary statements

**Texts of the legislative phrases mentioned in section 2:**

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H411: Toxic to aquatic life with long lasting effects.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H312 - Harmful in contact with skin.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

**Classification procedure:**

Skin Irrit. 2: Calculation method

Skin Sens. 1B: Calculation method

Aquatic Chronic 2: Calculation method

- CONTINUED ON NEXT PAGE -

**E702004 - Edge Wave 2.0  
Mango - Orange**

Printing: 04/08/2022

Date of compilation: 11/05/2022

Revised: 24/06/2022

Version: 2 (Replaced 1)

**SECTION 16: OTHER INFORMATION (continued)****Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -